

created in  
London

## What happens when a build fails

Designers  
Belén Barros Pena

## What happens when a build fails

### Document History

created in  
London


Date	Page number	Description
14.02.2012	n/a	Document created

## What happens when a build fails

### Table of Contents

'Build fails' screen description	4
Building an image from the 'Image configuration' screen	5
Building an image from the 'Recipes' screen	6
Building an image from the 'Packages' screen	7
Building packages from the 'Image configuration' screen	8
Building packages from the 'Recipes' screen	9

## What happens when a build fails 'Build fails' screen description



When a build fails, the 'Issues' tab in the 'Build in progress' screen is selected, and the toolbar is replaced by an error notification that includes the following elements:

1. A **heading** notifying that the building process has failed. When building an image, the heading says: "Hob cannot build your image". When building packages, the heading says: "Hob cannot build your packages".

2. A **brief explanation** of what happened, which includes some information about the error taken from the log (e.g. a file name and a task name).

3. A **primary action**, which brings the user back to the previous step. Since builds can start from from different screens, the primary action label changes:

- If building from the 'Image configuration' screen, the action label says: "Edit image configuration"
- If building from the 'Recipes' screen, the action label says: "Edit recipes"
- If building from the 'Packages' screen, the action label says: "Edit packages"

4. One or two **secondary actions** as follows:

- If building from the 'Image configuration' screen: "File a bug"
- If building from 'Recipes' screen or 'Packages' screen: "Create new image" and "File a bug"


"Create new image" returns users to the 'Image configuration' screen with no machine selected.

"File a bug" opens a browser on <http://bugzilla.yoctoproject.org>

# What happens when a build fails

## Building an image from the 'Image configuration' screen

### 1. Image configuration



Once a machine and base image have been selected, click on 'Build image'.

### 2. Build in progress






Image starts building. Information about the building process is provided in the 'Build in progress' screen.

### 3. Build fails



If the build fails, the 'Issues' tab is automatically selected. The toolbar is replaced by an error notification with primary action "Edit image configuration" and secondary action "File a bug".

### 4. Back to image configuration




Click on "Edit image configuration" to go back to the 'Image configuration' screen.

# What happens when a build fails

## Building an image from the 'Recipes' screen

### 1. Recipes



In the 'Recipes' screen, click on 'Build image'.

### 2. Build in progress






Image starts building. Information about the building process is provided in the 'Build in progress' screen'.

### 3. Build fails




If the build fails, the 'Issues' tab is automatically selected. The toolbar is replaced by an error notification with primary action "Edit recipes" and secondary actions "Create new image" and "File a bug".

### 4.1 Back to recipes



Click on "Edit recipes" to go back to the 'Recipes' screen.

### 4.2 To image configuration




Click on "Create new image" to go to the 'Image configuration' screen with no base image selected.

# What happens when a build fails

## Building an image from the 'Packages' screen

### 1. Packages



In the 'Packages' screen, click on 'Build image'.

### 2. Build in progress






Image starts building. Information about the building process is provided in the 'Build in progress' screen

### 3. Build fails




If the build fails, the 'Issues' tab is automatically selected. The toolbar is replaced by an error notification with primary action "Edit packages" and secondary actions "Create new image" and "File a bug"

### 4.1 Back to packages



Click on "Edit packages" to go back to the 'Packages' screen.

### 4.2 To image configuration




Click on "Create new image" to go to the 'Image configuration' screen with no base image selected.

# What happens when a build fails


## Building packages from the 'Image configuration' screen

### 1. Image configuration




Once a machine and base image have been selected, click on 'Build packages'.

### 2. Build in progress




Packages start building. Information about the building process is provided in the 'Build in progress' screen'.

### 3. Build fails



If the build fails, the 'Issues' tab is automatically selected. The toolbar is replaced by an error notification with primary action "Edit image configuration" and secondary action "File a bug".

### 4 Back to image configuration




Click on "Edit image configuration" to go back to the 'Image configuration' screen.



# What happens when a build fails


## Building packages from the 'Recipes' screen

### 1. Recipes




In the 'Recipes' screen, click on 'Build packages'.

### 2. Build in progress




Packages start building. Information about the building process is provided in the 'Build in progress' screen'.

### 3. Build fails




If the build fails, the 'Issues' tab is automatically selected. The toolbar is replaced by an error notification with primary action "Edit recipes" and secondary actions "Create new image" and "File a bug".

### 4.1 Back to recipes



Click on "Edit recipes" to go back to the 'Recipes' screen.

### 4.2 To image configuration



Click on "Create new image" to go to the 'Image configuration' screen with no base image selected.