

The home page of Web Hob in its 1.5 incarnation. It is divided into two sections: one for recent builds, and another one for all builds.

<http://yoctoproject.org/webhob/index.html>

Recent builds


- core-image-sato (+3) qemux86 ETA: 16:34
- core-image-minimal qemuarm ETA: 15:52
- ✓ core-image-sato atom-pc at 15:22 ⚠ 4 warnings Build time: 00:36:55
- ✗ core-image-x11 qemux86 at 12:01 ✖ 3 errors ⚠ 10 warnings Build time: 00:27:45
- ✓ core-image-sato atom-pc at 11:54 ⚠ 4 warnings Build time: 00:36:55

All builds

Search builds Search Edit columns ▾ Show rows: 10 ▾

Outcome	Target	Machine	Completed on	Failed tasks	Errors	Warnings	Output
✓	core-image-sato	atom-pc	11/06/13 at 15:22			4 warnings	ext3, hddimg, iso
✗	core-image-x11	qemux86	11/06/13 at 12:01	2 tasks	3 errors	10 warnings	
✓	core-image-sato	atom-pc	11/06/13 at 11:54			4 warnings	ext3, hddimg, iso
✓	core-image-minimal	qemux86	10/06/13 at 17:16				ext3, tar.bz2
✓	core-image-realtime-sdk	fri2	10/06/13 at 17:34				ext3, tar.bz2
✓	core-image-minimal	qemuarm	10/06/13 at 14:02			5 warnings	ext3, tar.bz2
✓	core-image-minimal core-image-sato core-image-sato-sdk core-image-x11	qemux86	10/06/13 at 11:31			2 warnings	ext3, tar.bz2
✗	core-image-minimal	qemumips64	10/06/13 at 09:47	2 tasks	1 error		
✓	core-image-minimal	qemuppc	09/06/13 at 18:25				ext3, tar.bz2
✓	core-image-minimal	qemux86-64	08/06/13 at 13:17			2 warnings	ext3, tar.bz2


← Previous 1 2 3 4 5 Next → Show rows: 10 ▾



An overview of the outcome and data existing for a certain build. There is one instance of the Build dashboard for each build in Web Hob.

<http://yoctoproject.org/webhob/build-dashboard.html>
<http://yoctoproject.org/webhob/build-dashboard-failed.html>


The screenshot shows the Yocto Project Toaster interface. At the top, it says 'yocto PROJECT Toaster'. Below that, it indicates 'All builds → core-image-sato atom-pc (11/06/13 at 15:22)'. The main heading is 'core-image-sato atom-pc'. A green status bar indicates 'Completed on 11/06/13 at 15:22 with 4 warnings' and 'Build time: 00:36:55'. A sidebar on the left lists navigation options: IMAGES (core-image-sato), BUILD (Configuration, Tasks, Recipes, Packages), and PERFORMANCE (Time, CPU usage, Disk I/O). The main content area is divided into sections: 'Images' (core-image-sato) with details on packages included (64), total package size (32 MB), and image files; and 'Build summary' with three sub-sections: Configuration (Machine: atom-pc, Distro: poky, Layers: openembedded-core, meta-yocto, meta-yocto-bsp), Tasks (Total number of tasks: 2011, Tasks executed: 701, Tasks prebuilt: 1310, Reuse: 65%), and Recipes & Packages (Recipes built: 114, Packages built: 325).



Packages installed and directory structure for each of the target images built. There is one instance of this page per build target. If none of the build targets is an image, the page does not exist for such build.

<http://yoctoproject.org/webhob/target.html>

Package	Package version	Size	Depends	Brought in by	Recipe
base-files	3.0.14-r73	228 KB		1	base-files
base-passwd	3.5.26-r2	0 KB		1	base-passwd
busybox	1.20.2-r7	568 KB	2	1	busybox
busybox-hwclock	1.20.2-r7	16 KB		1	busybox
busybox-syslog	1.20.2-r7	20 KB	1	1	busybox
busybox-udhcp	1.20.2-r7	32 KB		1	busybox
eglbc	2.17-r3	3.1 MB		10	eglbc
init-ifupdown	1.0-r0	44 KB	1	1	init-ifupdown
initscripts	1.0-r140	164 KB	1	1	initscripts
kernel-base	3.8.11+git8482dcd68_0+dd089cb5ba	32 KB		4	linux-yocto
kernel-module-cfbcopyarea	3.8.11+git8482dcd68_0+dd089cb5ba	36 KB	1	1	linux-yocto
kernel-module-cfbfillrect	3.8.11+git8482dcd68_0+dd089cb5ba	36 KB	1	1	linux-yocto
kernel-module-cfbimgblt	3.8.11+git8482dcd68_0+dd089cb5ba	32 KB	1	1	linux-yocto
kernel-module-uvesafb	3.8.11+git8482dcd68_0+dd089cb5ba	64 KB	4	1	linux-yocto



All information available about a package included in a certain image. It provides information about files in the image root file system and run-time dependencies. There is one instance of this page for each image in which a package is installed.

<http://www.yoctoproject.org/webhob/package-included-details.html>

yocto PROJECT Toaster

All builds → core-image-sato atom-pc (11/06/13 at 15:22) → core-image-sato → base-files_3.0.14 (core-image-sato)

base-files_3.0.14 (core-image-sato)

Files in root file system (16) Dependencies (0) Brought in by (1)

File	Size
/etc/default/usbd	346 B
/etc/filesystems	4.9 KB
/etc/fstab	638 B
/etc/host.conf	149 B
/etc/hostname	219 B
/etc/inputrc	346 B
/etc/issue	4.9 KB
/etc/issue.net	638 B
/etc/motd	149 B
/etc/mtab	219 B
/etc/nsswitch.conf	346 B
/etc/profile	4.9 KB
/etc/shells	638 B
/etc/skel/.bashrc	638 B
/etc/skel/.profile	149 B
/var/lock	638 B

Package information

Size 228 KB (2% of total package size)

License GPLv2

Recipe base-files


Recipe version 3.0.14-r73

Layer openembedded-core

Layer branch master

Layer commit 3e1dbabbf33a2e461abc92ff10cd970fe604ee38

Layer directory /home/user/poky/meta/



All configuration details available for a certain build. The page has two sections: a configuration summary and a table showing variable / value pairs applied to the build.

<http://yoctoproject.org/webhob/build-configuration.html>

yocto PROJECT Toaster

All builds → core-image-sato atom-pc (11/06/13 at 15:22) → Configuration

Configuration


Summary BitBake variables

Build configuration

- Host distribution: Ubuntu-12.04
- Build system: x86_64-linux
- Target system: i586-poky-linux
- Tune features: m32 i586
- FPU method
- BitBake version: 1.19.1
 - Distro: poky
- Distro version: 1.4+snapshot-20130718
 - Machine: atom-pc
 - Target(s): core-image-sato

Layers


Layer	Layer branch	Layer commit	Layer directory
openembedded-core	master	3e1dbabb3...	/home/user/poky/meta/
meta-yocto	master	3e1dbabb3...	/home/user/poky/meta-yocto/
meta-yocto-bsp	master	3e1dbabb3...	/home/user/poky/meta-yocto-bsp/



→ A table listing all the tasks for a certain build.

<http://yoctoproject.org/webhob/all-tasks.html>

Order	Task	Recipe	Task type	Outcome	Log
266	do_fetch	acl	Executed	Succeeded	/home/user/poky/path/to/file.log
268	do_unpack	acl	Executed	Succeeded	/home/user/poky/path/to/file.log
269	do_patch	acl	Executed	Succeeded	/home/user/poky/path/to/file.log
270	do_configure	acl	Executed	Failed	/home/user/poky/path/to/file.log /home/user/poky/path/to/config.log
272	do_compile	acl	Executed	Failed	/home/user/poky/path/to/file.log
266	do_fetch	attr	Prebuilt	Covered	
268	do_unpack	attr	Prebuilt	Covered	
269	do_patch	attr	Prebuilt	Sstate	
n/a	do_unpack	base-files	Prebuilt	Existing	
n/a	do_patch	base-files	Prebuilt	Existing	
n/a	do_configure	base-files	Prebuilt	Existing	
n/a	do_compile	base-files	Prebuilt	Existing	
n/a	do_install	base-files	Prebuilt	Existing	
n/a	do_package	base-files	Prebuilt	Existing	
n/a	do_packagedata	base-files	Prebuilt	Existing	
1147	do_package_write_rpm	base-files	Executed	Succeeded	/home/user/poky/path/to/file.log
1152	do_package_write	base-files	Prebuilt	Sstate	
1234	do_populate_llic	base-files	Executed	Succeeded	/home/user/poky/path/to/file.log
1236	do_populate_sysroot	base-files	Executed	Succeeded	/home/user/poky/path/to/file.log
1240	do_build	base-files	Prebuilt	Sstate	
886	do_fetch	base-passwd	Executed	Succeeded	/home/user/poky/path/to/file.log
887	do_unpack	base-passwd	Executed	Succeeded	/home/user/poky/path/to/file.log



A page providing all information available for a certain task. There is one instance of the task details page for each task shown in the '1.3 All tasks' page.

- <http://yoctoproject.org/webhob/task-details-executed-success.html>
- <http://yoctoproject.org/webhob/task-details-executed-fail.html>
- <http://yoctoproject.org/webhob/task-details-prebuilt-covered.html>
- <http://yoctoproject.org/webhob/task-details-prebuilt-existing.html>
- <http://yoctoproject.org/webhob/task-details-prebuilt-sstate.html>
- <http://yoctoproject.org/webhob/task-details-sstate-missed.html>
- <http://yoctoproject.org/webhob/task-details-sstate-failed.html>

yocto PROJECT Toaster

All builds → core-image-sato atom-pc (11/06/13 at 15:22) → Tasks → do_configure acl_2.2.51-r3

do_configure acl_2.2.51-r3

Outcome: Failed

Log file /home/user/poky/build/tmp/work/i586-poky-linux/acl/2.2.51-r3/temp/log.do_configure
/home/user/poky/path/to/config.log

Python stack trace


```
File: '<code>', lineno: 7, function: '<module>'
0003: __anon_227__home_yocto_poky_meta_classes_package_bclass(d)
0004: __anon_1132__home_yocto_poky_meta_classes_package_rpm_bclass(d)
0005: __anon_921__home_yocto_poky_meta_classes_insane_bclass(d)
0006: __anon_20__home_yocto_poky_meta_classes_debian_bclass(d)
*** 0007: __anon_27__home_yocto_poky_meta_classes_devshell_bclass(d)
0008: __anon_76__home_yocto_poky_meta_classes_sstate_bclass(d)
0009: __anon_202__home_yocto_poky_meta_classes_rootfs_rpm_bclass(d) ...
```

Task type: Executed

- Task order** 270
- Task signature** 6ef1b44fb0d9c59b6e7ec342199d3d10 (signature changed)
- Script type** Python
- Script file** /path/to/script/file/
- Task starts at line** 666
- Task depends on** do_patch acl_2.2.51-r3

Task performance

- Time (secs)** 61.45
- CPU usage** 19.8%
- Disk I/O (ms)** 6739



Shows the output of the `diffsigs` command. Generated upon request from users for a task in the currently selected build and a task in a different build.


<http://yoctoproject.org/webhob/task-changes.html>

Signature changes

Task	do_patch acl_2.2.51-r3
Current signature	6ef1b44fb0d9c59b6e7ec342199d3d10
Previous signature	fd549136fe86c05bfe9935c664030ed3
Previous build	core-image-sato atom-pc (10/06/13 at 10:34)

Changes in task inputs


```
List of dependencies for variable autotools_do_configure changed from set(['CPPFLAGS', 'sharedstate
dir', 'localstatedir', 'prefix', 'CPP', 'mandir', 'SHELL', 'bbfatal', 'exec_prefix', 'STRIP', 'STAG
ING_DATADIR', 'BUILD_LDFLAGS', 'BUILD_CPP', 'RANLIB', 'BUILD_CC', 'CONFIG_SITE', 'base_sbindir', 's
ystemd_unitdir', 'OBJDUMP', 'CXX', 'CCACHE_DIR', 'OBJCOPY', 'BUILD_LD', 'USER', 'PKG_CONFIG_LIBDIR'
, 'BUILD_RANLIB', 'CXXFLAGS_FOR_BUILD', 'CXX_FOR_BUILD', 'S', 'acpaths', 'BUILD_CXXFLAGS', 'PKG_CON
FIG_PATH', 'oldincludedir', 'BUILD_CFLAGS', 'sysconfdir', 'servicedir', 'CCLD', 'PKG_CONFIG_DIR', '
TARGET_LDFLAGS', 'CCACHE_DISABLE', 'docdir', 'PATCH_GET', 'BUILD_NM', 'CXXFLAGS', 'LC_ALL', 'HOME',
'PKG_CONFIG_DISABLE_UNINSTALLED', 'LD_FOR_BUILD', 'NM', 'infodir', 'BUILD_CCLD', 'libdir', 'datadi
r', 'STAGING_DATADIR_NATIVE', 'nonarch_base_libdir', 'base_prefix', 'B', 'CC', 'F77', 'PSEUDO_DISAB
LED', 'PKG_CONFIG_SYSROOT_DIR', 'base_libdir', 'BUILD_STRIP', 'oe_runconf', 'CPPFLAGS_FOR_BUILD', '
BUILD_CXX', 'LOGNAME', 'PATH', 'AUTOTOOLS_AUXDIR', 'EXTRA_AUTORECONF', 'LD', 'TARGET_CFLAGS', 'base
_bindir', 'bbnote', 'CFLAGS_FOR_BUILD', 'includedir', 'LDFLAGS', 'CC_FOR_BUILD', 'BUILD_F77', 'bind
ir', 'LDFLAGS_FOR_BUILD', 'TERM', 'AS', 'AR', 'libexecdir', 'TARGET_CXXFLAGS', 'BUILD_CPPFLAGS', 'M
AKE', 'PWD', 'CPP_FOR_BUILD', 'sbindir', 'CFLAGS', 'TARGET_CPPFLAGS', 'BUILD_AR', 'BUILD_AS']) to s
et(['CPPFLAGS', 'sharedstatedir', 'localstatedir', 'prefix', 'CPP', 'mandir', 'acpaths', 'bbfatal',
'exec_prefix', 'STRIP', 'STAGING_DATADIR', 'BUILD_LDFLAGS', 'CC_FOR_BUILD', 'RANLIB', 'BUILD_CC',
'CONFIG_SITE', 'base_sbindir', 'systemd_unitdir', 'OBJDUMP', 'CXX', 'BUILD_CXXFLAGS', 'OBJCOPY', 'B
UILD_LD', 'PKG_CONFIG_LIBDIR', 'BUILD_RANLIB', 'CXXFLAGS_FOR_BUILD', 'CXX_FOR_BUILD', 'S', 'PKG_CON
FIG_PATH', 'oldincludedir', 'BUILD_CFLAGS', 'sysconfdir', 'servicedir', 'CCLD', 'PKG_CONFIG_DIR', '
TARGET_LDFLAGS', 'docdir', 'PATCH_GET', 'BUILD_NM', 'CXXFLAGS', 'LC_ALL', 'PKG_CONFIG_DISABLE_UNINS
TALLED', 'LD_FOR_BUILD', 'NM', 'infodir', 'BUILD_CCLD', 'libdir', 'datadir', 'STAGING_DATADIR_NATIV
E', 'nonarch_base_libdir', 'base_prefix', 'B', 'CC', 'F77', 'PSEUDO_DISABLED', 'PKG_CONFIG_SYSROOT_
DIR', 'base_libdir', 'BUILD_STRIP', 'oe_runconf', 'CPPFLAGS_FOR_BUILD', 'BUILD_CXX', 'AUTOTOOLS_AUX
DIR', 'EXTRA_AUTORECONF', 'LD', 'TARGET_CFLAGS', 'base_bindir', 'bbnote', 'CFLAGS_FOR_BUILD', 'CPP_
FOR_BUILD', 'LDFLAGS', 'BUILD_CPP', 'BUILD_F77', 'bindir', 'LDFLAGS_FOR_BUILD', 'AS', 'AR', 'libex
edir', 'TARGET_CXXFLAGS', 'BUILD_CPPFLAGS', 'MAKE', 'includedir', 'sbindir', 'CFLAGS', 'TARGET_CPPF
LAGS', 'BUILD_AR', 'BUILD_AS'])
changed items: set(['CCACHE_DISABLE', 'SHELL', 'HOME', 'LOGNAME', 'USER', 'PATH', 'TERM', 'CCACHE_D
IR', 'PWD'])
List of dependencies for variable WORKDIR changed from set(['PR', 'PV', 'MULTIMACH_TARGET_SYS', 'PN
', 'EXTENDEPE', 'TMPDIR']) to set(['PR', 'PN', 'PV', 'EXTENDEPE', 'MULTIMACH_TARGET_SYS'])
changed items: set(['TMPDIR'])
List of dependencies for variable PV changed from set(['FILE']) to set([])
List of dependencies for variable bbfatal changed from set(['CCACHE_DISABLE', 'docdir', 'TARGET_CXX
FLAGS', 'CXXFLAGS_FOR_BUILD', 'PATCH_GET', 'BUILD_CXX', 'sharedstatedir', 'BUILD_NM', 'BUILD_LD', '
CXXFLAGS', 'prefix', 'LOGNAME', 'USER', 'PATH', 'CPP', 'HOME', 'TARGET_LDFLAGS', 'PKG_CONFIG_DISAB
LE_UNINSTALLED', 'LD_FOR_BUILD', 'CCLD', 'mandir', 'LD', 'SHELL', 'CC_FOR_BUILD', 'NM', 'infodir', '
exec_prefix', 'BUILD_CCLD', 'libdir', 'PWD', 'CFLAGS_FOR_BUILD', 'datadir', 'CPPFLAGS_FOR_BUILD', '
CPPFLAGS', 'nonarch_base_libdir', 'sbindir', 'oldincludedir', 'BUILD_F77', 'base_prefix', 'bindir',
'OBJCOPY', 'CXX_FOR_BUILD', 'PKG_CONFIG_DIR', 'LDFLAGS_FOR_BUILD', 'CCACHE_DIR', 'CC', 'localstate
dir', 'STRIP', 'TERM', 'RANLIB', 'AS', 'CONFIG_SITE', 'BUILD_RANLIB', 'BUILD_CXXFLAGS', 'PKG_CONFIG
```



→ A table listing all the targets built during a certain build.

<http://yoctoproject.org/webhob/all-recipes.html>

Recipe	Recipe version	Recipe file	Section	License	Layer
acl	2.2.51-r3	home/user/poky/meta/recipes-support/attr/acl_2.2.51.bb	libs	LGPLv2.1+ & GPLv2+	openembedded-core
acl-native	2.2.51-r3	home/user/poky/meta/recipes-support/attr/acl_2.2.51.bb	libs	LGPLv2.1+ & GPLv2+	openembedded-core
alsa-lib-native	1.0.26	home/user/poky/meta/recipes-multimedia/alsa/alsa-lib_1.0.26.bb	libs/multimedia	LGPLv2.1 & GPLv2+	openembedded-core
apr-native	1.4.6	home/user/poky/meta/recipes-support/apr/apr_1.4.6.bb	libs	Apache-2.0	openembedded-core
apr-util-native	1.5.1	home/user/poky/meta/recipes-support/apr/apr-util_1.5.1.bb	libs	Apache-2.0	openembedded-core
attr	2.4.46	home/user/poky/meta/recipes-support/attr/attr_2.4.46.bb	libs	LGPLv2.1+ & GPLv2+	openembedded-core
attr-native	2.4.46	home/user/poky/meta/recipes-support/attr/attr_2.4.46.bb	libs	LGPLv2.1+ & GPLv2+	openembedded-core
autoconf-native	2.69	home/user/poky/meta/recipes-devtools/autoconf/autoconf_2.69.bb	devel	GPLv2 & GPLv3	openembedded-core
automake-native	1.12.6	home/user/poky/meta/recipes-devtools/automake/automake_1.12.6.bb	devel	GPLv2	openembedded-core
base-files	3.0.14	home/user/poky/meta/recipes-core/base-files/base-files_3.0.14.bb	base	GPLv2	openembedded-core
base-passwd	3.5.26	home/user/poky/meta/recipes-core/base-passwd/base-passwd_3.5.26.bb	base	GPLv2+	openembedded-core
beecrypt-native	4.2.1	home/user/poky/meta/recipes-support/beecrypt/beecrypt_4.2.1.bb	base	GPLv2 & LGPLv2.1	openembedded-core
binutils-cross	2.23.2	home/user/poky/meta/recipes-devtools/binutils/binutils-cross_2.23.2.bb	devel	GPLv3	openembedded-core
binutils-native	2.23.2	home/user/poky/meta/recipes-devtools/binutils/binutils_2.23.2.bb	devel	GPLv3	openembedded-core



All information available about a built target. There is one instance of the recipe details page for each target shown in the '1.4 All recipes' page.

<http://yoctoproject.org/webhob/recipe-details-base-files.html>

base-files_3.0.14

- Recipe Information
- Packages built (4)
- Dependencies (0)
- Brought in by (1)

Recipe Information

- Recipe file**: home/user/poky/meta/recipes-core/base-files/base-files_3.0.14.bb
- Layer**: openembedded-core
- Layer branch**: master
- Layer commit**: 3e1dbabbf33a2e461abc92ff10cd970fe604ee38
- Layer directory**: home/user/poky/meta/
- Work directory**: home/user/poky/build/tmp/work/qemux86-poky-linux/base-files/3.0.14-r73/
- License files**: home/user/poky/build/tmp/deploy/licenses/base-files/

Tasks

Order	Task	Task type	Outcome
1151	do_fetch	Prebuilt	Existing
1152	do_unpack	Prebuilt	Existing
1153	do_patch	Prebuilt	Existing
1208	do_configure	Prebuilt	Existing
1209	do_compile	Prebuilt	Existing
1210	do_install	Executed	Succeeded
1243	do_package	Executed	Succeeded
1339	do_packagedata	Executed	Succeeded
1527	do_package_write_rpm	Executed	Succeeded
1595	do_package_write	Executed	Succeeded
1745	do_populate_ltc	Prebuilt	Covered
1746	do_populate_sysroot	Executed	Succeeded
1747	do_build	Executed	Succeeded


About base-files

Summary
Miscellaneous files for the base system.

Description
The base-files package creates the basic system directory structure and provides a small set of key configuration files for the system.

Section
base


License
GPLv2



A table listing all the packages built during a certain build. This page does not provide run-time dependency information, which is available in '1.1 Image information' for each target image built.

<http://yoctoproject.org/webhob/all-packages.html>

Package	Package version	Size	Recipe
base-files	3.0.14-r73	228 KB	base-files
base-passwd	3.5.26-r2	0 KB	base-passwd
base-passwd-doc	3.5.26-r2	64 KB	base-passwd
busybox	1.20.2-r7	568 KB	busybox
busybox-hwclock	1.20.2-r7	16 KB	busybox
busybox-syslog	1.20.2-r7	20 KB	busybox
busybox-udhcp	1.20.2-r7	32 KB	busybox
eglbc	2.17-r3	3.1 MB	eglbc
init-ifupdown	1.0-r0	44 KB	init-ifupdown
initscripts	1.0-r140	164 KB	initscripts
kernel-base	3.8.11+git8482dcd68_0+dd089cb5ba	32 KB	linux-yocto
kernel-module-cfbcopyarea	3.8.11+git8482dcd68_0+dd089cb5ba	36 KB	linux-yocto
kernel-module-cfbfillrect	3.8.11+git8482dcd68_0+dd089cb5ba	36 KB	linux-yocto
kernel-module-cfbimgblt	3.8.11+git8482dcd68_0+dd089cb5ba	32 KB	linux-yocto
kernel-module-uvesafb	3.8.11+git8482dcd68_0+dd089cb5ba	64 KB	linux-yocto
libkmod	9-r0.0	104 KB	kmod
modutils-initscripts	1.0-r6	16 KB	modutils-initscripts
netbase	5.1-r0	40 KB	netbase
packagegroup-core-boot	1.0-r11	0 B	packagegroup-core-boot
pciutils-ids	3.2.0-r0	212 KB	pciutils
rpm-postinsts	1.0-r0	0 B	rpm-postinsts
sysvinit	2.88dsf-r11	220 KB	sysvinit
sysvinit-inittab	2.88dsf-r9	12 KB	sysvinit-inittab
sysvinit-pidof	2.88dsf-r11	28 KB	sysvinit



Information about a certain built package. There are 2 versions of this page: for packages included in one or more target images, the page provides a list of the images that include the package and the list of files created at build time. For packages not included in a target image, the page also shows projected run-time dependencies.

<http://www.yoctoproject.org/webhob/package-built-details-included.html>

<http://www.yoctoproject.org/webhob/package-built-details-not-included.html>

yocto PROJECT Toaster

All builds → core-image-sato atom-pc (11/06/13 at 15:22) → Packages built → base-files_3.0.14-r73

base-files_3.0.14-r73

Package included in: **core-image-sato**

Generated files (16)

File	Size
/etc/default/usbd	346 B
/etc/filesystems	4.9 KB
/etc/fstab	638 B
/etc/host.conf	149 B
/etc/hostname	219 B
/etc/inputrc	47 B
/etc/issue	608 B
/etc/issue.net	384 B
/etc/motd	2 KB
/etc/mtab	549 B
/etc/nsswitch.conf	183 B
/etc/profile	122 B
/etc/shells	297 B
/etc/skel/.bashrc	92 B
/etc/skel/.profile	1.2 KB
/var/lock	86 B

Package information

Size 228 KB

License GPLv2

Recipe [base-files](#)


Recipe version 3.0.14-r73

Layer [openembedded-core](#)

Layer branch master

Layer commit 3e1dbabbf33a2e461abc92ff10cd970fe604ee38

Layer directory /home/user/poky/meta/



Information about the time a build took (currently broken down per task, but we might consider providing information per recipe too).

<http://yoctoproject.org/webhob/build-time.html>

yocto PROJECT Toaster

All builds → core-image-sato atom-pc (11/06/13 at 15:22) → Time

IMAGES
core-image-sato


BUILD
Configuration
Tasks
Recipes
Packages

PERFORMANCE
Time
CPU usage
Disk I/O

Time

Search time data Search Edit columns Show rows: 25


Task	Recipe	Task type	Outcome	Time (secs)
do_configure	acl	Executed	Failed	61.45
do_compile	acl	Executed	Failed	29.66
do_configure	base-passwd	Executed	Succeeded	11.40
do_fetch	attr	Prebuilt	Covered	6.48
do_package_write	base-files	Prebuilt	Sstate	2.79
do_package_write_rpm	base-files	Executed	Succeeded	2.21
do_patch	attr	Prebuilt	Sstate	1.40
do_unpack	attr	Prebuilt	Covered	1.06
do_unpack	acl	Executed	Succeeded	0.99
do_compile	base-passwd	Executed	Succeeded	0.95
do_populate_sysroot	base-files	Executed	Succeeded	0.85
do_fetch	acl	Executed	Succeeded	0.82
do_fetch	base-passwd	Executed	Succeeded	0.75
do_populate_ltc	base-files	Executed	Succeeded	0.49
do_build	base-files	Prebuilt	Sstate	0.49
do_patch	base-passwd	Executed	Succeeded	0.38
do_patch	acl	Executed	Succeeded	0.16
do_unpack	base-passwd	Executed	Succeeded	0.13
do_compile	base-files	Prebuilt	Existing	0
do_configure	base-files	Prebuilt	Existing	0
do_install	base-files	Prebuilt	Existing	0
do_package	base-files	Prebuilt	Existing	0
do_packagedata	base-files	Prebuilt	Existing	0
do_patch	base-files	Prebuilt	Existing	0



Information about the CPU usage during the build, broken down per task.

<http://yoctoproject.org/webhob/build-cpu.html>

Task	Recipe	Task type	Outcome	CPU usage
do_compile	acl	Executed	Failed	53.2%
do_unpack	acl	Executed	Succeeded	21.1%
do_configure	acl	Executed	Failed	19.8%
do_compile	base-passwd	Executed	Succeeded	18.8%
do_package_write	base-files	Prebuilt	Sstate	12.7%
do_build	base-files	Prebuilt	Sstate	12.7%
do_populate_lic	base-files	Executed	Succeeded	12.3%
do_package_write_rpm	base-files	Executed	Succeeded	11.9%
do_populate_sysroot	base-files	Executed	Succeeded	10.3%
do_unpack	base-passwd	Executed	Succeeded	9.8%
do_patch	acl	Executed	Succeeded	9.2%
do_configure	base-passwd	Executed	Succeeded	7.8%
do_unpack	attr	Prebuilt	Covered	6.4%
do_patch	base-passwd	Executed	Succeeded	4.7%
do_patch	attr	Prebuilt	Sstate	2.3%
do_fetch	acl	Executed	Succeeded	1.6%
do_fetch	attr	Prebuilt	Covered	1.3%
do_fetch	base-passwd	Executed	Succeeded	1.0%
do_compile	base-files	Prebuilt	Existing	0
do_configure	base-files	Prebuilt	Existing	0
do_install	base-files	Prebuilt	Existing	0
do_package	base-files	Prebuilt	Existing	0
do_packagedata	base-files	Prebuilt	Existing	0
do_patch	base-files	Prebuilt	Existing	0



Information about the amount of time spent on I/O operations during the build, broken down per task.

<http://yoctoproject.org/webhob/build-diskio.html>

yocto PROJECT Toaster

All builds → core-image-sato atom-pc (11/06/13 at 15:22) → Disk I/O

Search disk I/O data Search Show rows: 25

Task	Recipe	Task type	Outcome	Disk I/O (ms)
do_configure	acl	Executed	Failed	6739
do_compile	acl	Executed	Failed	2432
do_configure	base-passwd	Executed	Succeeded	1952
do_package_write	base-files	Prebuilt	Sstate	1887
do_build	base-files	Prebuilt	Sstate	1887
do_fetch	base-passwd	Executed	Succeeded	753
do_package_write_rpm	base-files	Executed	Succeeded	585
do_fetch	acl	Executed	Succeeded	520
do_fetch	attr	Prebuilt	Covered	474
do_patch	base-passwd	Executed	Succeeded	375
do_populate_sysroot	base-files	Executed	Succeeded	314
do_compile	base-passwd	Executed	Succeeded	200
do_unpack	base-passwd	Executed	Succeeded	127
do_unpack	acl	Executed	Succeeded	54
do_populate_ltc	base-files	Executed	Succeeded	42
do_unpack	attr	Prebuilt	Covered	18
do_patch	acl	Executed	Succeeded	0
do_patch	attr	Prebuilt	Sstate	0
do_unpack	base-files	Prebuilt	Existing	0
do_patch	base-files	Prebuilt	Existing	0
do_configure	base-files	Prebuilt	Existing	0
do_compile	base-files	Prebuilt	Existing	0
do_install	base-files	Prebuilt	Existing	0
do_package	base-files	Prebuilt	Existing	0